

PRODUCT SPECIFICATION

Product Name: LED Striplight

Product model: HLS-10A

DESCRIPTION: 2835-120D-220V-8MM-10W-WW/2835-120D-220V-8MM-10W-NL-40K/2835-120D-220V-8MM-10W-WH/2835-120D-220V-8MM-10W-BL


• Features

- 1. Using die-casting aluminum with good appearance for high class looking.
- 2. Built-in constant current driver for high efficiency and stability.
- 3. Quick response time, the LED response time is nanosecond.
- 4. Environmental protection, no heavy metals and harmful gas.
- 5. Energy-saving, can save energy more 80% than traditional lights.
- 6. No flicker, start quickly, soft light, protect your eyes.
- 7 . Easy to install and use.
- Technical Parameter

Model	HLS-10A-10W(WW) /10W(NL-40K) /10W(WH)/10W(BL)			
LED model	2835			
LED Qty	120PCS			
Power	10W			
Voltage	AC220-240V			
Working Frequency	50/60HZ			
Power Efficiency	/			
Luminous Flux	1000LM/M			


Efficiency	100LM/W \pm 10%		
Power Factor	≥ 0.9		
Colour Temperature	WW: 3000K±10% NW: 4000 K±10% WH: 6500 K±10%		
CRI	Ra ≥ 80		
Bean Angle	120 <u>°</u>		
Working Temperature	-20 to + 40 ^o C		
Service life	5 yr warranty		

• Relative Spectral Energy Distribution




2835-120D-220V-8MM-10W-WW


2835-120D-220V-8MM-10W-NL-40K




2835-120D-220V-8MM-10W-WH



2835-120D-220V-8MM-10W-BL





• Product Package

Packed in color box, 50M/roll , 2roll/ctn

Packing size & Pictures:			
Inner box:			
Model	L (mm)	W (mm)	H (mm)
HLS-10A	305	305	110

2835-120D-220V-8MM-10W-WW

NASCO NO 333 LED ETRIP LOIT	
• Office of the second seco	هوی فن السن: العام السن:


2835-120D-220V-8MM-10W-NL-40K



2835-120D-220V-8MM-10W-WH




2835-120D-220V-8MM-10W-BL




Outer box

Model	L (mm)	W (mm)	H (mm)
HLS-10A	320	320	235


2835-120D-220V-8MM-10W-WW




2835-120D-220V-8MM-10W-NL-40K



2835-120D-220V-8MM-10W-WH



2835-120D-220V-8MM-10W-BL



Attentions

- 1. Make sure the power is off before maintenance.
- 2. Clean the glass of diffuser of lamp regularly to maintain good light transmittance.
- 3. Clean the dust of the shell to maintain good heat dissipation performance.
- 4. Be careful not to use water or corrosive solution for cleaning, it is better to use a dry cloth.


• Warranty and After-sales Service

The period of guarantee is 5 years. Quality assurance is based on the correct storage, installation, use and maintenance of products. Due to improper installation

and improper use of the product, the product is damaged beyond the scope of this warranty. During the warranty period, We will choose to repair, replace (spare parts)

with new products. Labor charges or material costs will be appropriately collected over the warranty period.





The date listed in this file is for reference only, and the specific date should be subject to the specific products, if any change, sorry for no notice.